JCO7 Rec'd PCT/PTO 03 DEC 2001 FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTORNEY'S DOCKET NUMBER (REV. 9-2001) 2447-015 TRANSMITTAL LETTER TO THE UNITED STATES U.S. APPLICATION NO. (If known, see 37 CFR 1.5 DESIGNATED/ELECTED OFFICE (DO/EO/US) 10/009044 CONCERNING A FILING UNDER 35 U.S.C. 371 INTERNATIONAL APPLICATION NO. PRIORITY DATE CLAIMED INTERNATIONAL FILING DATE PCT/AU00/01019 28 August 2000 (28.08.00) 27 August 1999 (27.08.99) TITLE OF INVENTION OPTIMIZING COCHLEAR IMPLANT ELECTRODE SELECTION APPLICANT(S) FOR DO/EO/US Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: 1. X This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is attached hereto (required only if not communicated by the International Bureau). has been communicated by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US). An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). a. is attached hereto. has been previously submitted under 35 U.S.C. 154(d)(4). Amendments to the claims of the International Aplication under PCT Article 19 (35 U.S.C. 371(c)(3)) are attached hereto (required only if not communicated by the International Bureau). have been communicated by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. A have not been made and will not be made. An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)). An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. An English lanugage translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11 to 20 below concern document(s) or information included: 11. X An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. **x** A FIRST preliminary amendment. 14. A SECOND or SUBSEQUENT preliminary amendment. 15. A substitute specification. 16. A change of power of attorney and/or address letter. 17. A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1,821 - 1,825. 18. **x** A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. 🐷 Other items or information: Return Receipt Postcard; Patent Application Data Sheet: IPER: PCT Written Opinion; Response to PCT Written Opinion; Cheque \$

¿+	 			3 Pec'd PCT/PTO	0 3 DFC 2001
U.S. APPLICATION NO. (if know	vn. sce 37 CFR 1.5) P	NTERNATIONAL APPLICATION NO. CT/AU00/01019		ATTORNEY'S DO	
	ing fees are submitted:			CALCULATIONS	PTO USE ONLY
t e e e e e e e e e e e e e e e e e e e	FEE (37 CFR 1.492 (a)	* * * * * * * * * * * * * * * * * * * *			
nor international se	al preliminary examinati arch fee (37 CFR 1.445) earch Report not prepare	(a)(2)) paid to USPTO	***************************************		
International prelim USPTO but Interna	inary examination fee (ational Search Report pro	37 CFR 1.482) not paid to epared by the EPO or JPO	\$890.00		
International prelim but international sea	inary examination fee (3 arch fee (37 CFR 1.445(a	37 CFR 1.482) not paid to a)(2)) paid to USPTO	USPTO \$740.00		
but all claims did no	ot satisfy provisions of Po	37 CFR 1.482) paid to US CT Article 33(1)-(4)	\$710.00		
International prelim	inary examination fee (37 CFR 1.482) paid to US rticle 33(1)-(4)	SPTO \$100.00	·	
	-	BASIC FEE AMOU		s 1040]
				\$ 10-70	_
months from the ear	liest claimed priority dat	 	20 30	\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total claims Independent claims	10 - 20 = 3 - 3 =	0	x \$18.00	\$	
	DENT CLAIM(S) (if ap	nlicable)	x \$84.00 + \$280.00	\$	-
TO DELL'IN		OF ABOVE CALCU		\$	
Applicant claim are reduced by	s small entity status. Se	e 37 CFR 1.27. The fees		\$	
		SI	JBTOTAL =	\$ 1040	
essing fee of \$1.	30.00 for furnishing the iest claimed priority date	English translation later th		\$	
Signal Chilippe		TOTAL NATIO	NAL FEE =	\$ 1040	<u> </u>
for recording the impanied by an a	e enclosed assignment (3 ppropriate cover sheet (3	7 CFR 1.21(h)). The assi 37 CFR 3.28, 3.31). \$40.0	gnment must be 10 per property +	\$	
		TOTAL FEES E	NCLOSED =	\$ 1040	
Hard Control				Amount to be refunded:	\$
THE TENTE OF THE T				charged:	\$
b. Please char	the amount of \$_104 ge my Deposit Account copy of this sheet is end	No. <u>67-3738</u> in	e above fees is enclose the amount of \$\frac{3}{200}		he above fees.
		ized to charge any addition o.07-1730 . A duplic			any
		ard. WARNING: Inform.			
	ust be filed and granted	under 37 CFR 1.494 or 3 I to restore the application			ive (37 CFR
WEISZ, Tiberi	iu		SIGNATU	RE.	
GOTTLIEB, RACKMAN &	REISMAN, P.C.			, Tiberiu	
NEW YORK, NEW YOR	K 10016-0601		29,87	76	
				ATION NUMBER	

U.S. APPLICATION NO. (if know	TT3GTT34 A	TERNATIONAL APPLICATION NO. T/AU00/01019			ATTORNEY'S DOC: 2447-01	
<u> </u>		, 2000, 02017		CAL	CULATIONS	
	ng fees are submitted:	·(1) - (5))·				,
	FEE (37 CFR 1.492 (a) all preliminary examination					
nor international sea	arch fee (37 CFR 1.445(a)(2)) paid to USPTO				
and International Se	earch Report not prepare	d by the EPO or JPO	\$1040.00			
International prelim USPTO but Interna	inary examination fee (3 tional Search Report pre	7 CFR 1.482) not paid to pared by the EPO or JPO	\$890.00			. •
International prelim	inary examination fee (3	7 CFR 1.482) not paid to	USPTO			
but international sea	rch fee (37 CFR 1.445(a	(2)) paid to ÚSPTO	\$740.00			
but all claims did no	ot satisfy provisions of PC	37 CFR 1.482) paid to US CT Article 33(1)-(4)	\$710.00			
International prelim	inary examination fee (3	37 CFR 1.482) paid to US	PTO			
and all claims satisf	ied provisions of PCT A	rticle 33(1)-(4)	\$100.00	\$ 10	340	1
		BASIC FEE AMOU	JNT =	2 10)40 	
Surcharge of \$130.00 months from the earl	o for furnishing the oath liest claimed priority date	or declaration later than e (37 CFR 1.492(e)).	20 30	\$		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$		-
Total claims	10 - 20 =	0	x \$18.00	\$ (20 c	
Independent claims	3 - 3 =	0	x \$84.00	\$ (~(())/ <u>[</u>	
	DENT CLAIM(S) (if ap	plicable)	+ \$280.00	\$		1 17
The state of the s		OF ABOVE CALCU	LATIONS =	\$		u u
are reduced by	s small entity status. Se	e 37 CFR 1.27. The fees		\$		
Secretary Secret		SI	JBTOTAL =	\$ 10	040	
Procesing fee of \$1	30 00 for furnishing the	English translation later th			<u> </u>	
nths from the ear	liest claimed priority dat	e (37 CFR 1.492(f)).		\$		
8		TOTAL NATIO	NAL FEE =	\$ 10	040	
for recording the	e enclosed assignment (3 appropriate cover sheet (7 CFR 1.21(h)). The assi 37 CFR 3.28, 3.31). \$40 .	gnment must be 00 per property +	\$		
H H H H H H H H H H H H H H H H H H H		TOTAL FEES E		\$ 1	040	
		101111111111111111111111111111111111111			ount to be	\$
					refunded:	
8 100				<u> </u>	charged:	\$
	the amount of \$ 104		ne above fees is enclo		42 agram th	a abaya faas
b. Please char A duplicate	rge my Deposit Account e copy of this sheet is en	No ir closed.	the amount of $3 \frac{1}{2} \frac{1}{2}$		to cover th	e above ices.
c. X The Commoverpayme	nissioner is hereby authorent to Deposit Account N	rized to charge any addition of the contract o	onal fees which may be cate copy of this shee	oe req t is en	uired, or credit a	nny
d. T Fees are to	be charged to a credit of	ard. WARNING: Inform	nation on this form ma	ay bed	come public. Ci	redit card
information	n should not be include	d on this form. Provide of	credit card informatio	n and	authorization o	n P1O-2038.
NOTE: Where an	appropriate time limit	under 37 CFR 1.494 or d to restore the applicat	1.495 has not been r	net, a	petition to revi	ive (37 CFR
		• •	1110	0/	2	
SEND ALL CORRESP			STONETT			
WEISZ, Tiber	iu		SIGNATU	JKE		
GOTTLIEB, RACKMAN	& REISMAN DC		_WEISZ	., Ti	beriu	•
270 MADISON	N AVENUE		NAME			
NEW YORK, NEW YO	HK 10016-0601		29,8			
			REGISTI	RATIO	NNUMBER	

Attorney Docket No.: 2447-015

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE <u>UNITED STATES RECEIVING OFFICE OF THE</u> PATENT COOPERATION TREATY (35 USC §371)

U.S. Applicant

STECKER, Mathias et al

U.S. Serial No.

To Be Assigned

U.S. Filing Date

Herewith

International Applicant

COCHLEAR LIMITED

International Application No. :

PCT/AU00/01019

International Filing Date

28 August 2000 (28.08.00)

Earliest Claimed Priority

27 August 1999 (08.27.99)

Title

OPTIMIZING COCHLEAR IMPLANT ELECTRODE

SELECTION

Examiner

To Be Assigned

Group Art Unit

To Be Assigned

Box PCT

Attn: National Phase Processing Division

U.S. Patent & Trademark Office

P.O. Box 2327

Arlington, VA 22202

CERTIFICATE OF EXPRESS MAIL UNDER 37 CFR §1.10

Express Mail Label # EL803336218US Date of Deposit

December 3, 200

I hereby certify that this paper and/or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and is address to: Box PCT, Attn: National Phase Processing Division, U.S. Patent & Trademark Office, Pro. Box 2327

PRELIMINARY AMENDMENT

SIR:

Prior to substantive examination, kindly amend the present application by inserting an Abstract at new page 12, as follows:

SPECIFICATION IN CLEAN FORM

12

ABSTRACT

A method is described to allow for better selection of electrodes for neural stimulation, for example in a cochlear implant. A series of stimuli, at different stimulation levels, are provided at each electrode to be tested, and the neural response to each stimulus is measured, using an implanted electrode. A value is then calculated relating stimulus level to response, to allow the relative responsiveness of electrodes to be determined. This can then be used as the basis for a stimulation map used to select which electrodes are stimulated and at what level.

REMARKS

Insertion of the above abstract is consistent with the international counterpart patent publication PCT/AU00/01019 (WO 01/15773).

Dated: December 3, 2001 New York, New York

Respectfully submitted,

GOTTLIEB RACKMAN & REISMAN PC Attorneys for Applicant 270 Madison Avenue New York, New York 10016-0601

Telephone: 212/684-3900 Telefax: 212/684-3999

By:

Tiberiu WEISZ Reg. No. 29,876

S:\belinda\amend\prelim\Watermark\244715.wpd

OPTIMIZING COCHLEAR IMPLANT ELECTRODE SELECTION

Technical Field

The present invention relates to methods for optimising the selection of electrodes for stimulation in neural stimulation devices such as cochlear implants, and devices utilising such methods.

Background Art

Post-implantation, recipients of intra-cochlear implants exhibit considerable variation in speech perception performance. Such variability may have many reasons - one explanation is a non-homogeneous spatial distribution of residual VIIIth nerve fibers or of the interface between nerve fibers and electrodes. When comparing different stimulation sites within the cochlea during speech processor fitting, patients sometimes report differences in sound quality. Deactivation of those electrodes with minor quality or distorted sound perception often improves general sound sensation and speech understanding. Furthermore it has been reported that selecting different electrode groups for Continuous Interleaved Sampling (CIS) stimulation has significant influence on speech perception in a number of subjects (Wilson BS, Finley CC, Lawson DT, et al. Design and evaluation of a continuous interleaved sampling (CIS) processing strategy for multichannel cochlear implants. J Rehabil Res Dev 1993; 30:110-116.)

At present, the process for selecting which electrodes should be utilised requires eliciting comments from the patient as to whether or not the benefit of the prosthesis is improved or decreased upon making an adjustment to the electrodes being used for stimulation. There are a number of problems associated with this prior art approach. For example the adjustment is not made according to any quantitative parameter but rather is based on the somewhat subjective judgements/reactions of the patient. Furthermore some patients, for example young children, may not be able to readily indicate an improvement or decrease in the quality of their hearing perception during the adjustment process. Yet a further problem is that the present approach does not readily lend itself to automation, relying as it does on trial and error, and the conscious feedback of the patient.

25

30

5

It is an object of the present invention to provide a method, capable of automatic operation, for selecting good and poor electrodes and for utilising this information to select electrodes for stimulation.

Summary of the Invention

In a broad form, the present invention provides a method for determining which electrodes in a multi-electrode neural stimulator device are working well or poorly, by conducting a series of tests on each electrode and measuring the evoked response to the stimulation, for various levels of stimulation and for each electrode of interest, and calculating a value relating stimulus level to response level for each electrode.

In one aspect the present invention provides a method for determining the relative responsiveness of electrodes in an implanted multi-electrode intracochlear prosthesis, including the steps of

- (a) measuring the amplitude of the evoked response to a set of stimuli at different stimulation levels for one of the electrodes in said prosthesis:
- (b) calculating a value relating the evoked responses to the stimulus levels for each electrode;
- (c) repeating steps (a) and (b) for each electrode for which data is required; and
- (d) determining the relative responsiveness of the electrodes by comparing the values of step (b) for the tested electrodes. Preferably, step (b) is performed by deriving the slope of the best fit regression line on a plot of stimulus level against peak to peak amplitude of evoked response. However, other derived values may be used, for example some other parameter of the evoked response, or the simple value of the peak to peak amplitude. The invention also contemplates using combinations of stimulating electrodes to determine which combination is most effective.

In a preferred use of the data on responsiveness, consideration is given also to the spectral distribution of the electrodes. For example, the steepest slopes may be clustered in a particular frequency range, so that to select only these electrodes will produce an unbalanced distribution of electrodes for distribution. It is preferred to balance the selection of electrodes only on

10

5

25

responsiveness with selection so as to provide a more even distribution of stimulation sites.

The values from the method can then be used to determine which electrodes, for example, are performing most poorly and exclude these from a stimulation strategy map. More sophisticated uses of this information are of course possible - prior to the present invention, no such data had been utilised to objectively measure electrode performance.

It is considered that stimulation sites with a steeper growth function contribute more to speech perception performance than stimulation sites with shallower growth function, and that the specific electrode selection based on telemetry measurements will improve speech-coding performance. The present invention provides a way to improve speech processor fitting by using predominantly those stimulation sites with a relatively steep electrically evoked compound action potential (ECAP) amplitude growth function.

There are several reasons why the slope of the amplitude growth function has been chosen as a stimulation site assessment tool. In clinical practice, a large variability in the slope of the ECAP amplitude growth function has been found. This variability has been observed both within subject (over the electrode array) as well as between subjects.

In comparison to other response parameters such as amplitude, latency or dynamic range, the slope of the amplitude growth function is a more robust parameter because it is based on statistical regression calculation. It is postulated that with increasing stimulus level, the number of responding nerve cells - and thus the amplitude of the neural response - will grow faster if the stimulation site is located in an area of high ganglion cell density, compared to an area with low spiral ganglion density.

The present invention also includes a device adapted to perform the method as described.

Description

One implementation of the present invention will now be described in more detail with respect to the accompanying figures, in which:

Figure 1 is a graph showing an example of a recorded ECAP using NRT™;

25

4A

Figure 2 is a graph showing the amplitude growth function for an electrode; Figure 3 shows ECAPs from subject WW for electrodes 4 and 18;

Figure 4 is a graph of ECAP amplitude growth functions against stimulating electrode;

Figure 5 shows schematically the steep and shallow electrodes as selected in the example; and

Figure 6 is a graph showing the results of speech comprehension tests; and

Figure 7 shows clustering upon selection of the 4 "steepest" and "shallowest" electrodes.

Figure 8 shows the degree of clustering dependent on a given factor.

It will be appreciated that the present invention may be implemented utilising any suitable cochlear implant and speech processor. It is highly desirable that a telemetry system be provided as part of the implant system, to facilitate the ready acquisition of the evoked neural response data discussed. It will be appreciated that alternative measures of neural response could equally be utilised to implement the present invention. The invention could also be applied to other neural stimulation situations.

The example discussed below utilises Neural Response Telemetry[™] (NRT[™]) as implemented in the Nucleus[®] N24 CI-system (Abbas PJ, Brown CJ, Shallop JK, et al. Summary of results using the Nucleus CI24M Implant to record the electrically evoked compound action potential. Ear & Hearing 1999; 20:45-59; Stypulkowski PH, van den Honert C, Kvistad SD. Electrophysiologic evaluation of the cochlear implant patient. Otolaryngol Clin North Am 1986; 19:249-257).

This technique has at least two advantages over conventional Electrical Evoked Auditory Brainstem Responses (EABR): there is no need for surface electrodes, sedation or additional averaging equipment, and it can deliver direct site specific information about the spatial distribution of neural activity.

To assess and categorize the 22 intracochlear electrodes as either "poor" or "good", this specific technique uses a measurement of the slope of the amplitude growth function of the Compound Action Potential (CAP).

25

10

5

25

30

35

Example

The following example illustrates how the technique of the present invention can be implemented in real patent situations.

Two German speaking patients with more than one year CI-experience and good performance were recruited for this study. Subject profiles are summarized in the following table.

Subject Profiles

Subject initials	WW	EK	
Gender	male	female	
Age (years)	72	38	
Aetiology	progressive	progressive	

Both subjects use the body worn SPrint™ speech processor, and were tuned up with SPEAK™ speech processing strategy. Six months prior to this experiment, both were converted to ACE™ speech processing strategy. Previous to the study described here, the subjects had not been exposed to a CIS coding strategy.

NRT™ measurements were recorded using electrodes 20 to one as the stimulating electrode pair, with the recording electrode spaced two electrodes apart, apically from the stimulation site. The NRT™-software version 2.04 developed at the ENT Department of the University Hospital Zurich was used. The standard parameter settings being as follows:

NRT™ stimulation and recording parameters for both subjects

1 20	
322	
MP1	
MP2	·····
80pps	
1.6 ms	
	322 MP1 MP2 80pps

	Delay	WW: 74 μs, EK: 47 μs	
	No. of averages:	WW: 100, EK: 200	
5	Pulse width:	25 μs/phase	
	Masker advance:	50 μ s	
10	Masker level:	WW: probe level + 5 CL; EK: fix at LAPL	

The delay is measured from the end of the probe stimulus to the start of the recording.

Gain and delay of the recording system were optimized for the subjects (individually). The parameters were held constant for all measured electrodes.

Beginning at the loudest acceptable level (LAPL), a series of up to nine recordings were made with stimulation levels at 5 CL intervals in descending order.

For each recording, the peak to peak amplitudes were determined and linear regression lines were calculated to estimate the slope of the corresponding amplitude growth functions (fig. 1 and 2). If necessary, prior to calculation of the regression function, outliers were excluded to maximize the correlation coefficient. However, each calculated slope is based on a minimum of four points. Most of the outliers excluded were either measured within the noise floor, showed a saturation effect at high stimulation levels or the amplitude of these recordings could not be reliably measured because N1 had too short a latency to be captured.

The estimated amplitude growth slopes were plotted over the stimulation sites separately for each subject and divided in two groups, using the median value as the divider. Stimulation sites with an amplitude growth slope above the median value formed the group of "steep stimulation sites", those showing a slope below the median were labelled "shallow stimulation sites".

For subject WW, two 9-channel CIS maps, one using predominantly "steep" stimulation sites and one using predominantly "shallow" stimulation sites were generated. When selecting the stimulation sites, clustering of active

25

30

30

5

10

stimulation sites was avoided. Instead, "steep" and "shallow" sites across the entire length of the electrode array were used. The result was termed a "steep mix" CIS (using mainly "steep" stimulation sites) and a "shallow mix" CIS (using mainly "shallow" stimulation sites). The stimulation rate used for both CIS maps was 1200pps - the same rate as used in the subject's previous ACE™ maps.

For subject EK, the electrode array from electrode 20 to 1 was divided into four consecutive segments of five electrodes each. The stimulation site of each segment showing the steepest amplitude growth function was selected for a "steep" 4-channel CIS map, while the site with the shallowest growth function in each segment was selected for a "shallow" 4-channel CIS map. Because EK's previous ACE™ map used 1800pps stimulation rate, the two 4-channel CIS maps were programmed using this same stimulation rate. In addition to the two CIS maps, a modified ACE™ map was also tested. The only difference to the subject's previous ACE™ map was that the four stimulation sites showing the shallowest amplitude growth function were deactivated.

Prior to speech comprehension testing, the subjects were given a few minutes familiarization with the new maps. For WW, Göttingen Sentences in noise presented at 70 dB SPL with +10 dB S/N were used. For EK, Freiburg Numbers in noise, presented at 70 dB SPL with 0 dB S/N and Freiburg Monosyllabic Words presented at 70 dB SPL in quiet were used.

With both patients, ECAP amplitude growth functions could be calculated on all 20 measured electrodes. Figure 3 shows two measurement series from patient WW. On electrode four, the ECAP showed a relatively steep amplitude growth and a high threshold. In contrast, the neural response on electrode 18 has a relatively shallow growth function and a relatively low threshold.

Compared to other NRTTM parameters such as the response threshold or maximum amplitude, the slope of the amplitude growth function showed the largest variability along the electrode array. For WW the minimum slope was 4.8 μ V/CL, the maximum 14.9 μ V/CL. The mean was 10.5 μ V/CL, the median 10.4 μ V/CL. For EK the minimum amplitude growth slope was 4.2 μ V/CL, the maximum 13.5 μ V/CL. The mean was 7.0 μ V/CL and the median 6.6 μ V/CL.

The distribution of the slope values along the electrode array is shown in figure 4. Subject WW has a steep amplitude growth in the basal part of the cochlea. Towards the apical end a monotonously decreasing slope was measured. With subject EK, particularly across the medial to apical part of the electrode array, the slope of the ECAP amplitude growth function seems to be more uniform.

According to the methods described previously, two alternative CIS maps for each subject were created: a "steep" map and a "shallow" map. Figure 5 shows the spatial distribution of the selected electrodes of each map.

Both subjects were surprised by the different sound quality compared to their familiar ACE^{TM} map. All CIS maps sounded significantly higher in pitch compared to ACE^{TM} .

Without knowing which of the two CIS maps was presented, subject WW spontaneously preferred the "steep" 9-channel CIS map compared to the "shallow" 9-channel CIS map. The "shallow" map was described as "muffled", "distorted" and "metallic".

Subject EK did not accept the quality of any of the 4-channel CIS maps, reporting the sound as "extremely metallic" and "distorted". With the modified ACE™ map excluding the four shallowest stimulation sites (19, 17, 14, 10) EK noted a "slightly sharper" sound, compared with the familiar ACE™ map.

These subjective impressions correspond to the results of the speech comprehension tests performed during the same session (fig. 6).

Subject WW showed better performance using the CIS map with "steep" stimulation sites (77%) than with the "shallow" CIS map (32%). The "steep" CIS map scores are comparable to the result obtained with the previous ACE™ map (84%).

With subject EK, no significant differences were observed, on any test measure ("steep" CIS 40%, "shallow" CIS 47%, two digit numbers 0dB S/N). Also, comparison of the familiar ACE™ with the modified ACE™ (without the four "shallowest" electrodes) showed no significant difference in speech recognition performance (familiar ACE™ 40%, modified ACE™ 53%, monosyllables in quiet).

30

Selecting the four steepest/shallowest electrodes results in clustering (see figure 9). A trade off between uniform distribution and weighting according to slope needs to be made. A factor has been introduced which equals 1 for a perfectly equal distribution, and 0 for total clustering (see figure 10). Multidimensional regression analysis on a group of subjects revealed that speech perception is strongly positively correlated to this factor. Further analysis needs to be made about the distribution of the weight of the different parameters (equal distribution/slop differences) in individual subjects (showing strong slope variability vs homogeneous slope distribution).

Subject WW demonstrated remarkable improvement in speech understanding scores and sound quality when a CIS map using electrodes with steep ECAP growth function was used. In subject EK, the more uniform distribution of the ECAP amplitude growth function slope over stimulation sites might be interpreted as a fairly homogeneous distribution of surviving ganglion cell density. In this case differences in speech understanding with changing the location of stimulation sites might not be expected to the same extent, and indeed, were not demonstrated in this study. Additionally, the small number of channels (4 channels) used for the CIS maps, compared to her familiar 22-channel ACETM map, may account for her lack of differentiation between them.

In any regard, the above example illustrates how the present invention can be implemented in a practical way and the results suggest that choosing a specific electrode set is an effective way to improve speech perception performance. Especially when using the slope of the ECAP amplitude growth function as the criterion, the speech perception score may increase considerably. Other relationships between the stimulus and the neural response to the stimulus may also be used to assist in discriminating between poor and good electrodes, as discussed above, with other relationships falling within the scope of this invention.

It will be appreciated that the example described relates to a very specific set of parameters and strategies, and that the invention is in no way limited to such aspects. Variations and additions are possible within the spirit and scope of the invention, as will be apparent to those skilled in the art.

10

20

30

CLAIMS:


1. In a multi-electrode neural stimulation system, a method for determining which electrodes are working well or poorly, including the steps of:


providing a series of stimuli using each electrode, and measuring the neural response to said stimuli using implanted electrodes, said stimuli having different stimulus levels; and

calculating a value relating stimulus level to response level for each electrode.

- 2. A method according to claim 1, wherein the electrodes used for measurement are one or more of the stimulating electrodes.
- 3. A method according to claim 1, wherein the system is an intra-cochlear prosthesis.
- 4. A method according to claim 3, wherein the neural response measured is the amplitude of evoked neural response.
- 5. A method for determining the relative responsiveness of electrodes in a multi-electrode intracochlear prosthesis, including the steps of
- (a) measuring the amplitude of the evoked response to a set of stimuli at different stimulation levels for one of the electrodes in said prosthesis;
- (b) calculating a value relating the evoked responses to the stimulus levels for each electrode:
- (c) repeating steps (a) and (b) for each electrode for which data is required; and
- (d) determining the relative responsiveness of the electrodes by comparing the values of step (b) for the tested electrodes.
- 6. A method according to claim 5, wherein step (b) is performed by deriving the slope of the best fit regression line on a plot of stimulus level against peak to peak amplitude of evoked response.

- 7. A method according to claim 6, wherein step (b) is performed by deriving the value of the peak to peak amplitude of said evoked response.
- 8. A method according to claim 5, wherein the relative responsiveness according to step (d) is used to construct an electrode map for selecting electrodes for stimulation.
- 9. A method according to claim 8, wherein the electrode map is modified in response also to the spectral distribution of the most responsive electrodes, so as to provide a more even distribution of electrodes selected for stimulation.
- 10. A device adapted to perform the method according to any one of the preceding claims.








Fig 3.




Fig 4.

4/7





Fig 5.






Fig 6.





Fig 7



normalised mean difference from optimal distance $Fig\ 8.$

Combined Declaration and Power of Attorney

2447-015

(Application No.)

As a below named inventor, I hereby declare that:

My residence, post offic	e address and citizenship are as	stated below next to my nar	ne.	
ioint inventor (if plural nan	al, first and sole inventor (if only nes are listed below) of the subjective entitled OPTIMIZING COCHLEA	ct matter which is claimed ar AR IMPLANT ELECTRODE	nd for which	n a patent N
			•	
	l hereto. 🛛 was filed on <u>Decem</u> l			
No. 08/ 10/009,044 o on	r PCT International Application N (if applicable).	oPCT/AU00/01019	_, and was	s amended
I hereby state that I had including the claims, as a	ave reviewed and understand the mended by any amendment reference.	e contents of the above ide red to above.	entified spe	cification,
	to disclose information which is m 1.56.	naterial to patentability as def	ined in Title	37, Code
gn application(s) for parated at least one co	priority benefits under Title 35, Upatent or inventor's certificate, or untry other than the United States identified below, by checking the of any PCT application having a	365(a) of any PCT internation of America, or Title 35, United appropriate box, any foreign	nal applicated States Co application	tion which ode, §371, i for patent
Foreign Application(s)		Priority	/ claimed
+ 1499 <u>1499</u>	Australia	27 August 1999	×	
ber)	(Country)	Day/month/year file		No
(Number)	(Country)	Day/month/year file	d Yes	No
I hereby claim the ben- application(s) listed below	efit under Title 35, United States v:	Code, § 119(e) of any Unit	ed States p	provisional
(A. disalisa No.)	<u> </u>	(Filing Date)		:
(Application No.)			·	· · · · · · · · · · · · · · · · · · ·
(Application No.)		(Filing Date)		
below and, insofar as the United States application	fit under Title 35, United States Consults subject matter of each of the claim the manner provided by the first ordinary disclose information which is much the subject of this application:	aims of this application is not st paragraph of Title 35, Unite aterial to patentability as def	t disclosed ed States C fined in Title	ode, §112, e 37, Code
(Application No.)	(Filing d	ate) (Status - pa	atented, pendir	ng, abandoned)

(Filing date)

patented, pending, abandoned)

And I hereby appoint

George Gottlieb (Reg.No. 22,035)
Michael I. Rackman (Reg.No. 20,639)
James Reisman (Reg.No. 22,007)
Barry A. Cooper (Reg.No. 25,204)
David S. Kashman (Reg.No. 28,725)
Allen I. Rubenstein (Reg.No. 27,673)

Jeffrey M. Kaden (Reg. No. 31,268) Amy B. Goldsmith (Reg. No. 33,700) Norbert P. Holler (Reg. No. 17,816) Tiberiu Weisz (Reg. No. 29,876) Maria A. Savio (Reg. No. 31,565) Raymond B. Churchill (Reg. No. 44,617)

whose address is Gottlieb, Rackman & Reisman, P.C., 270 Madison Avenue, New York NY 10016-0601 (telephone (212) 684-3900), jointly and severally, as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Direct all correspondence and telephone calls to: <u>Tiberiu WEISZ</u>, <u>Esq.</u> at the address and telephone number shown above.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

	first inventor CAFARELLI-DEES, Denise	
l name of sole or	III'st inventor CAPARELLI-DEEG, Denise	Date
entor's Signature	The Baechus High Street, West Meon Near Petersfield	
_ sidence	Kingdom	. 1141401 <u>55550 1121 5111601</u>
izenship	United States of America	
it Office Address	West Meon Near Petersfield, Hants, GU32 1LJ, United	1 Kingdom
Service Control of the Control of th	West Medit Near Telessifeid, Hallis, GO32 123, Olikok	Tringoviii
entor's Signature sidence izenship st Office Address Il name of second rentor's Signature	joint inventor, if any VON WALLENBERG, Ernst L	ndwia
Il hame of second	Joint inventor, if any VOI WADDENDERG, Et ust E	Date
_!3	Gerbergasse 10A, D-79379, Muelheim, Germany	_ Dato
	Germany Germany	
izenship	D-79379, Muelheim, Germany	
st Office Address	D-19519, Mucipleint, Germany	
izenship st Office Address iii iii name of third j ventor's Signature		
Il name of third i	oint inventor, if any <u>DILLER, Norbert</u>	
ventor's Signature	Directification in the property of the second	Date
sidence	Tollwiesstrasse 19, CH-8700, Kusnacht, Switzerland	
sidence tizenship	Switzerland	
Post Office Address	CH-8700, Kusnacht, Switzerland	
10st Office Address	CIT-0700; Indonating Owners thank	
Full name of fourth	joint inventor, if any LAL, Wai Kong	
Inventor's Signature		Date
Residence	Thurwiesenstrasse 7, CH-8037, Zurich, Switzerland	
Citizenship	Malaysia	
Post Office Address	CH-8037, Zurich, Switzerland	
1 OSL CIMOO 1 LOCATOOS		
Full name of fifth io	int inventor, if any <u>NICOLAI, Jochen</u>	
Inventor's Signature		_ Date
Residence	Muespacherstrasse 38, CH-4055, Basel, Switzerland	
Citizenship	Germany	
Post Office Address	CH-4055, Basel, Switzerland	
FIRST		
Full name of sixth ic	int inventor, if any STECKER, Mathias	
Inventor's Signature	P. W. S. Thanks I had been seen as a second	Date 20 3.02
Residence	Ruetteberg 11, D-79294 Soelden, Germany DEX	
Citizenship	Germany	
Post Office Address	D-79294 Soelden, Germany	

And I hereby appoint George Gottlieb (Reg.No. 22,035) Michael I. Rackman (Reg.No. 20,639)

James Reisman (Reg.No. 22,007)

Barry A. Cooper (Reg.No. 25,204)

David S. Kashman (Reg.No. 28,725) Allen I. Rubenstein (Reg.No. 27,673)

Jeffrey M. Kaden (Reg. No. 31,268) Amy B. Goldsmith (Reg. No. 33,700) Norbert P. Holler (Reg. No. 17,816) Tiberiu Weisz (Reg. No. 29,876) Maria A. Savio (Reg. No. 31,565) Raymond B. Churchill (Reg. No. 44,617)

whose address is Gottlieb, Rackman & Reisman, P.C., 270 Madison Avenue, New York NY 10016-0601 (telephone (212) 684-3900), jointly and severally, as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Direct all correspondence and telephone calls to: Tiberiu WEISZ, Esq. at the address and telephone number shown above.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Į.	ll name of sole or	firet invantor	CAFARELLI-DEES, Denise	
, ger	entor's Signature	HIST MYCHTOL	CALL STATE OF THE	Date
1	sidence	The Baechus Hig	h Street, West Meon Near Petersfield.	Hants, GU32 1LJ, United
in.		Kingdom	II Diroct, West 1/10011 1 tour & oreston	
1	izenship	United States of A	America	
4	st Office Address	West Meen Near	Petersfield, Hants, GU32 LLI, United	Kingdom
2		West Medit Meat	1 eterstield, Hallis, GOSE ILM, Contoc	Telligoviii
THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADD	997	Talatianatas ifa	- VON WALLENDEDC F-ngt I	Tan Carrier
- PE 125	_ u name of second	Joint inventor, it a	D-79379, Muelheim, Germany	Date 17.7.2002
	éurors Signature	- Carte 104	D 70270 Marile Champany (1)	Date 11/ C: MOGE
#	sidence	Gerbergasse IVA	D-79379, Muelneim, Germany	
1	izenship	Germany		
7	st Office Address	D-79379, Muelhe	am, Germany	
The state was the state of				
400	(1) (1)		DYLLED N. I.	
-	al name of third jo	ant inventor, it an	y DILLER, Norbert	Date
-	/entor's Signature		0. CHI 0500 If	Date
But	sidence	l'ollwiesstrasse l'	9. CH-8700, Kusnacht, Switzerland	
	crtizenship	Switzerland		
	Post Office Address	CH-8700, Kusnac	cht, Switzerland	
	Full name of fourth j	joint inventor, 11 a	ny LAI., Wai Kong	8
	Inventor's Signature			Date
	Residence	Thurwiesenstrass	e 7, CH-8037, Zurich, Switzerland	
	Citizenship	Malaysia		
	Citizenship Post Office Address	CH-8037, Zurich.	Switzerland	
	Full name of fifth joi	nt inventor, if any	NICOLAI, Jochen	
	Inventor's Signature			Date
	Residence	Muespacherstrass	se 38, CH-4055, Basel, Switzerland	
	Citizenship	Germany		
	Post Office Address	CH-4055, Basel,	Switzerland	
	<u> </u>			
•	Full name of sixth io	int inventor, if any	y STECKER, Mathias	
	Inventor's Signature			Date
	Residence	Ruetteberg 11, D.	-79294 Soelden, Germany	
	Citizenship	Germany		
	Post Office Address	D-79294 Soelden	, Germany	

And I hereby appo	Michael I. Rackman (Reg.No. 22,035) James Reisman (Reg.No. 22,007) Barry A. Cooper (Reg.No. 25,204) David S. Kashman (Reg.No. 28,725) Allen I. Rubenstein (Reg.No. 27,673) Jeffrey M. Kaden (Reg. No. 31,268) Amy B. Goldsmith (Reg. No. 17,816) Norbert P. Holler (Reg.No. 17,816) Tiberiu Weisz (Reg. No. 29,876) Maria A. Savio (Reg. No. 31,565) Raymond B. Churchill (Reg. No. 44,617)
(telephone (212) 684	ttlieb, Rackman & Reisman, P.C., 270 Madison Avenue, New York NY 10016-0601 -3900), jointly and severally, as my attorneys and/or agents, with full power of substitution osecute this application and to transact all business in the Patent and Trademark Office
Direct all correspondent shown above	ndence and telephone calls to: <u>Tiberiu WEISZ, Esq.</u> at the address and telephone
knowledge that willf under Section 1001 o	at all statements made herein of my own knowledge are true and that all statements made belief are believed to be true; and further that these statements were made with the all false statements and the like so made are punishable by fine or imprisonment, or both, for Title 18 of the United States Code and that such willful false statements may jeopardize blication or any patent issued thereon.
ull name of sole or	first inventor CAFARELLI-DEES, Denise
ventor's Signature sidence tizenship st Office Address ill name of second ventor's Signature	The Baechus High Street, West Meon Near Petersfield, Hants, GU32 1LJ, United Kingdom United States of America
Property Control of the Control of t	West Meon Near Petersfield, Hants, GU32 LLJ, United Kingdom
ill name of second ventor's Signature sidence tizenship st Office Address ill name of third journal residence tizenship st Office Signature	Joint inventor, if any VON WALLENBERG, Ernst Ludwig ———————————————————————————————————
ll name of third jo	int inventor, if any DILLER, Norbert
rentor's Signature sidence tizenship Post Office Address	Tellumentralse 49 CH 8700, Kusnacht, Switzerland Date CH - 3 - 2 00 2 Switzerland CH 8700, Kusnacht, Switzerland Date CH - 3 - 2 00 2 Mine cva str. 3, CH - 8032 7und Switzerland CH 8700, Kusnacht, Switzerland
	CH 805L tanch
Inventor's Signature Residence Citizenship Post Office Address	oint inventor, if any LAL, Wai Kong Thurwiesenstrasse 7, CH-8037, Zurich, Switzerland Malaysia CH-8037, Zurich, Switzerland
Full name of fifth joi Inventor's Signature Residence Citizenship	Muespacherstrasse 38, CH-4055, Basel, Switzerland Germany
Post Office Address	CH-4055, Basel, Switzerland
Full name of sixth joinventor's Signature Residence Citizenship	nt inventor, if any STECKER, Mathias Ruetteberg 11, D-79294 Soelden, Germany Germany
Post Office Address	D-79294 Soelden, Germany

And I hereby appoint George Gottlieb (Reg.No. 22,035)
Michael I. Rackman (Reg.No. 20,639)
James Reisman (Reg.No. 22,007)
Barry A. Cooper (Reg.No. 25,204)

David S. Kashman (Reg.No. 28,725) Allen I. Rubenstein (Reg.No. 27,673) Jeffrey M. Kaden (Reg. No. 31,268) Amy B. Goldsmith (Reg. No. 33,700) Norbert P. Holler (Reg. No. 17,816) Tiberiu Weisz (Reg. No. 29,876) Maria A. Savio (Reg. No. 31,565) Raymond B. Churchill (Reg. No. 44,617)

whose address is Gottlieb, Rackman & Reisman, P.C., 270 Madison Avenue, New York NY 10016-0601 (telephone (212) 684-3900), jointly and severally, as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Direct all correspondence and telephone calls to: <u>Tiberiu WEISZ, Esq.</u> at the address and telephone number shown above.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I name of sole or entor's Signature	Date
idence	The Baechus High Street, West Meon Near Petersfield, Hants, GU32 1LJ, United
zenship	Kingdom
t Office Address	United States of America
	West Meon Near Petersfield, Hants, GU32 LLJ, United Kingdom
entor's Signature	I joint inventor, if any VON WALLENBERG, Ernst Ludwig Date
sidence	Gerbergasse 10A, D-79379, Muelheim, Germany
izenship	Germany
st Office Address	D-79379, Muelheim, Germany
a Office Address	TOTAL AT THE THE THE COLLINARY
ll name of third i	oint inventor, if any DILLER, Norbert
rentor's Signature	Date
sidence	Tollwiesstrasse 19, CH-8700, Kusnacht, Switzerland
Titizenship	Switzerland
ost Office Address	CH-8700, Kusnacht, Switzerland
ull name of fourth	joint inventor, if any LAI., Wai Kong Date 18.03.2002
lesidence	Thurwiesenstrasse 7, CH-8037, Zurich Switzerland
itizenship	Melawice
ost Office Address	Majaysia CH-8037, Zurich, Switzerland
OSI OTHEE VARIESS	C(1-9037, Zurion, Switzerialite
ull name of fifth jo	int inventor, if any <u>NICOLAI, Jochen</u>
iventor's Signature esidence	Muespacherstrasse 38, CH-4055, Basel, Switzerland
citizenship ost Office Address	Germany CH-4055, Basel, Switzerland
	CD-4033, Dasgi, Switzeriand
OSI OTHEC Address	
ull name of sixth ic	oint inventor, if any STECKER, Mathias
ull name of sixth jouventor's Signature	Date
ull name of sixth journature esidence	Ruetteberg 11, D-79294 Soelden, Germany
ull name of sixth jouventor's Signature	Date

And I hereby appoint

George Gottlieb (Reg.No. 22,035)
Michael I. Rackman (Reg.No. 20,639)
James Reisman (Reg.No. 22,007)
Barry A. Cooper (Reg.No. 25,204)
David S. Kashman (Reg.No. 28,725)
Allen I. Rubenstein (Reg.No. 27,673)

Jeffrey M. Kaden (Reg. No. 31,268) Amy B. Goldsmith (Reg. No. 33,700) Norbert P. Holler (Reg. No. 17,816) Tiberiu Weisz (Reg. No. 29,876) Maria A. Savio (Reg. No. 31,565) Raymond B. Churchill (Reg. No. 44,617)

whose address is Gottlieb, Rackman & Reisman, P.C., 270 Madison Avenue, New York NY 10016-0601 (telephone (212) 684-3900), jointly and severally, as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Direct all correspondence and telephone calls to: <u>Tiberiu WEISZ</u>, <u>Esq.</u> at the address and telephone number shown above.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

	ull name of sole or ventor's Signature	Date .
1000	esidence	The Baechus High Street, West Meon Near Petersfield, Hants, GU32 1LJ, United
	tizenship	Kingdom
1	st Office Address	United States of America
Tida:		West Meon Near Petersfield, Hants, GU32 LJ, United Kingdom
Taped general		
	ll name of second	joint inventor, if any VON WALLENBERG, Ernst Ludwig
re jes	rentor's Signature	Date
22	sidence	Gerbergasse 10A, D-79379, Muelheim, Germany
	izenship	Germany
in the	st Office Address	D-79379, Muelheim, Germany
li		
	11	
form.	u name of totra je	oint inventor, if any DILLER, Norbert Date
bere	entor's Signature	Tollwiesstrasse 19, CH-8700, Kusnacht, Switzerland
T.	idence	Switzerland
	enizenship Post Office Address	CH-8700, Kusnacht, Switzerland
	Post Office Address	CH-6700, Rushacht, Switzerland
	Full name of fourth	joint inventor, if any LAL, Wai Kong
	Inventor's Signature	Date
	Residence	Thurwiesenstrasse 7, CH-8037, Zurich, Switzerland
	Citizenship	Malaysia
	Post Office Address	CH-8037, Zurich, Switzerland
	1000 011100111001000	
		\sim
~	Full name of fifth jo	nt inventor if any NICOLAL, Jochen
U	Inventor's Signature	Date VHV202
	Residence	Muespacherstrasse 38, CH-4055, Basel, Switzerland CH-
	Citizenship	Germany
	Post Office Address	CH-4055, Basel, Switzerland
		The second of th
	Full name of sixth jo	int inventor, if any STECKER, Mathias Date
	Inventor's Signature	The Mark II D 70204 See Hear Company
	Residence	Ruetteberg 11, D-79294 Soelden, Germany
	Citizenship	Germany D 20204 Sociden Germany
	Post Office Address	D-79294 Soelden, Germany

Sixth	A (•	-
Full name of seventh joint in	ventor, hany LASZIG, Rolan	od	
Inventor's Signature	4 ()	—— Date // (4) 0 7	
Residence Hoher	zollerilweg 10. D-79224 Umkiro	ch, Germany	1.0
Citizenship Germa	ny		
Post Office Address D-792	24 Umkirch, Germany		
	entor, if any <u>MUELLER-DEL</u>	LE, Joachim	
Inventor's Signature		Date	
	strasse 13, D-24159 Kiel, Germa	any	
Citizenship Germa			
Post Office Address D-241	59 Kiel, Germany		

LF1A.12/99

Full name of seventh	joint inventor, if any LASZIG, Roland		
Inventor's Signature		Date_	
Residence	Hohenzollernweg 10, D-79224 Umkirch, Germany		
Citizenship	Germany		
Post Office Address	D-79224 Umkirch, Germany		
Sevent	oint inventor, if any MUELLER-DELLE, Joachim		
Inventor's Signature	Konigstrasse 13, D-24159 Kiel, Germany		14.2.07
Residence Citizenship	Germany		
Post Office Address	D-24159 Kiel, Germany		

7 721 A 15400

And I hereby appoint George Gottlieb (Reg. No. 22,035) Michael I. Rackman (Reg.No. 20,639) James Reisman (Reg.No. 22,007)
Barry A. Cooper (Reg.No. 25,204)
David S. Kashman (Reg.No. 28,725) Allen I. Rubenstein (Reg.No. 27,673)

Jeffrey M. Kaden (Reg. No. 31,268) Amy B. Goldsmith (Reg. No. 33,700) Norbert P. Holler (Reg. No. 17,816) Tiberiu Weisz (Reg. No. 29,876) Maria A. Savio (Reg. No. 31,565) Raymond B. Churchill (Reg. No. 44,617)

whose address is Gottlieb, Rackman & Reisman, P.C., 270 Madison Avenue, New York NY 10016-0601 (telephone (212) 684-3900), jointly and severally, as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Direct all correspondence and telephone calls to: <u>Tiberiu WEISZ, Esq.</u> at the address and telephone number shown above.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

eight	CAFARELLI-DEES, Denise	
Full name of solt or	EAFARELLI-DEES, Denise	Date 15. 02.2002
Inventor's Signature	The Baechus High Street, West Meon Near Petersfield	d Hants GII32 II I United C
Residence	Kingdom	d, Halles, OOJZ HJ, United Q
Citizenship	Kingdom	
Post Office Address	United States of America	d Vinadom
	West Meon Near Petersfield, Hants, GU32 1LJ, Unite	a Kingdom
	joint inventor, if any VON WALLENBERG, Ernst J	Ludwig
Residence	Gerbergasse 10A, D-79379, Muelheim, Germany	
Citizenship	Germany	
Post Office Address	D-79379, Muelheim, Germany	
* 1 * <u>1</u>		
Full name of third ic	oint inventor, if any DILLER, Norbert	
Inventor's Signature		Date
Decidence	Tollwiesstrasse 19, CH-8700, Kusnacht, Switzerland	
Citizenship	Switzerland	
Post Office Address	CH-8700, Kusnacht, Switzerland	
Full name of fourth	joint inventor, if any LAL. Wai Kong	
Inventor's Signature		Date
Residence	Thurwiesenstrasse 7, CH-8037, Zurich, Switzerland	
Citizenship	Majaysia	
Post Office Address	CH-8037, Zurich, Switzerland	
Post Office Address	C(1-5037, Euricia, Switzerland	
W.W	nt inventor if any NICOLAL Yeshen	202
Lun name of mru lo	nt inventor, if any <u>NICOLAI, Jochen</u>	Date
Inventor's Signature	Muespacherstrasse 38, CH-4055, Basel, Switzerland	_ Date
Residence		
Citizenship	Germany	
Post Office Address	CH-4055, Basel, Switzerland	
<u> </u>		
Full name of sixth jo	int inventor, if any STECKER, Mathias	
Inventor's Signature		Date
Residence	Ruetteberg 11, D-79294 Soelden, Germany	
Citizenship .	Germany	
Post Office Address	D-79294 Soelden, Germany	

COCOUNT CLEADOR

United States Patent & Trademark Office

Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

□ Page(s)	of		were not present
for scanning.		(Document title)	
□ Page(s)	of		were not present
for scanning		(Document title)	

A Scanned copy is best available. Some Figures are durk.